

# MPGS

One-Piece Consoles In Stainless Steel

nVent

HOFFMAN

CONNECT AND PROTECT



IP 66 | TYPE 4X, 12, 13 | IK 10 (single door); IP 55 | TYPE



The stainless steel compact console, MPGS, in a IP66/55 protection degree is available off the shelf. It has a hinged desk panel, and the ergonomic design allows for easy installation and access to HMI-equipment- It also increases the mounting space available. This console can be installed in virtually any environment, grade dependent.

**Material:** AISI 304 pre-grained stainless steel / AISI 316L (on request). Body and door: 2 mm. Rear panel: 1.5 mm. Bottom plates: 1.5 mm. Mounting plate: 2.5 mm galvanized steel.

**Body:** Folded and seam welded. Console construction includes a base that provides a distance between the floor and the lower part of the door/s, acting as an integrated plinth.

**Doors and panels:** Single folded surface mounted with hinges, allowing left and right-hand opening to base door. Angle 12° from horizontal. Concealed hinges, on top edge, allow 90° opening. Panel held open by self engage/self release mechanical panel stay. Double door on 1200 wide base units.

**Mounting plate:** Standard mounting plate in base unit.

**Lock:** Double-bit 3 mm locks for top panel. For base, two double-bit 3 mm locks.

**Cable inlet:** Bottom opening for cable access. Bottom plate for cable glanding supplied as standard.


**Earthing:** M8 threaded studs on body, door, top panel and rear panel.

**Finish:** 400 pre-grained stainless steel.


**Protection:** Single door: IP 66 | TYPE 4X, 12, 13 | IK 10. Double door: IP 55 | TYPE 12, 13 | IK 10.

**Delivery:** Mounting plate and suitable nuts and washers for earthing. The console is delivered on a wooden pallet.

Single door



Double door



Stainless steel

| H   | W    | D   | h   | w    | d     | Item no.    |
|-----|------|-----|-----|------|-------|-------------|
| 985 | 600  | 400 | 790 | 499  | 357.5 | MPGS06      |
| 985 | 600  | 400 | 790 | 499  | 357.5 | MPGS06-316* |
| 985 | 800  | 400 | 790 | 699  | 357.5 | MPGS08      |
| 985 | 800  | 400 | 790 | 699  | 357.5 | MPGS08-316* |
| 985 | 1000 | 400 | 790 | 899  | 357.5 | MPGS10      |
| 985 | 1000 | 400 | 790 | 899  | 357.5 | MPGS10-316* |
| 985 | 1200 | 400 | 790 | 1099 | 357.5 | MPGS12      |
| 985 | 1200 | 400 | 790 | 1099 | 357.5 | MPGS12-316* |

*Note: Only 1200 mm wide consoles have double door. \* On request.*

# MPGS

One-Piece Consoles In Stainless Steel



CONNECT AND PROTECT