



varistor + green LED - 24..60 VAC/ DC - for RSZ sockets

Local distributor code:

389838126 RZM021BN

EAN Code: 3389110261608

Main

Range Of Produc	Harmony Electromechanical Relays	
Accessory / Separate Part Category	Protection accessories	
Product Or Component Type	Protection module	
Accessory / Separate Part Designation	Varistor + green LED	
Product Compatibility	Socket RSZ (1 C/O)	
	Socket RSZ (2 C/O)	
	Socket RGZ (1 C/O)	
	Socket RGZ (2 C/O)	
Product Destination	RSB relay	
[Uc] Control Circuit Voltage	2460 V AC/DC	
Sale Per Indivisible Quantity	10	

Complementary

Net Weight 0.005 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	4.5 cm
Package 1 Length	9 cm
Package 1 Weight	2 g
Unit Type Of Package 2	BAG
Number Of Units In Package 2	10
Package 2 Height	3 cm
Package 2 Width	7 cm
Package 2 Length	11 cm
Package 2 Weight	23 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	2000
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm

Package 3 Weight 5.166 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations

Product datasheet

RZM021BN

Connections and Schema

Wiring Diagram

