


Product datasheet

Specifications



Insulating mounting plate, thickness 25 mm, For boxes of H175W150 mm

Local distributor code:
387529107

NSYAMPA1916TB

EAN Code: 3606480166129

Main

Range	Thalassa
Accessory / separate part category	Mounting accessory
Product or component type	Mounting plate
Device application	Multi-purpose
Enclosure nominal dimensions	-
Mounting location	Back studs
Mounting plate description	Insulating
Range compatibility	Thalassa Thalassa TBS Thalassa Thalassa TBP
Device composition	1 mounting plate
Material	Polyester
Colour	Grey

Complementary

Fixing mode	By screws - screw type M4 self tapping - on back studs location
Height	Nominal: 192 mm Real: 140 mm
Width	Nominal: 164 mm Real: 1685 mm
thickness	3 mm
Product weight	0.1 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.300 cm
Package 1 Width	14.000 cm
Package 1 Length	17.000 cm
Package 1 Weight	114.000 g
Unit Type of Package 2	PAM
Number of Units in Package 2	300
Package 2 Height	45.000 cm
Package 2 Width	100.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	120.000 cm
Package 2 Weight	39.400 kg

Logistical informations

Country of origin	FR
-------------------	----


Contractual warranty

Warranty	18 months
----------	-----------


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)


[How we assess product sustainability >](#)

<div>Environmental footprint</div>	
Environmental Disclosure	Product Environmental Profile

Use Better

<div>Materials and Substances</div>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
China RoHS Regulation	China RoHS declaration

Use Again

<div>Repack and remanufacture</div>	
Circularity Profile	No need of specific recycling operations
Take-back	No