# Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



# Set of 2 lifting eyes M8. Maximum load: 210kg

Local distributor code: 392863489

NSYAELYTCRG8

EAN Code: 3606480168727

### Main

Area	PanelSeT	
category	Lifting accessory	
Product or component type	Lifting eye	
Application	Multi-purpose	
Mounting location	Enclosure top	
Range compatibility	PanelSeT PanelSeT CRN PanelSeT PanelSeT S3D	
Device composition	2 eyebolt 2 bracket 2 washer 2 nut fixing elements	
Quantity per set	Set of 1	

### Complementary

Material	Eyebolt: moulded steel Bracket: galvanised steel	
Surface finish	Zinc coated	
Fixing mode	Screwed	
Permanent permissible load	200 kg slinging at 60°	
Height	55 mm	
Width	120 mm	
Depth	30 mm	
Diameter	29 mm	
ISO thread	M8	
Net weight	0.24 kg	

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	9.000 cm
Package 1 Length	12.000 cm
Package 1 Weight	268.000 g

Unit Type of Package 2	CAR
Number of Units in Package 2	40
Package 2 Height	21.000 cm
Package 2 Width	40.500 cm
Package 2 Length	30.000 cm
Package 2 Weight	10.742 kg
Unit Type of Package 3	P12
Number of Units in Package 3	640
Package 3 Height	56.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	182.000 kg

# Logistical informations

Country of origin FF

# Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### 

Environmental Disclosure

Product Environmental Profile

### **Use Better**

<b>⊗</b> Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
China RoHS Regulation	China RoHS declaration

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No