

"Floor standing modular electrical enclosure, PanelSeT SFN, decarbonized steel, mounting plate, 2000x600x400mm, IP55"

NSYSFN20640P

EAN Code: 3606486103159

Main

Range	PanelSeT	
Extended range	PanelSeT SFN	
Application	Multi-purpose	
Product or component type	Suitable enclosure	
Enclosure nominal height	2000 mm	
Enclosure nominal width	600 mm	
Enclosure nominal depth	400 mm	
Enclosure mounting	Floor-standing	
Device composition	2 sliding rails 4 mounting plate quick-fixing brackets 1 structure 1 door 1 locking system with handle: door 1 rear panel 1 roof 1 mounting plate	

Complementary

Structure type	Formed from a single section Panels and doors built into the structure Perforated structure with a pitch of 25 mm Vertical uprights joined with top and bottom frames	
Door opening side	Reversible (120 °)	
Door type	Plain front	
Mounting plate description	Plain	
Type of gland plate	Without gland plate	
Lock type	4 points lock, handle with 5 mm double bar insert front door	
Number of doors	Front: 1 door(s)	
Accessibility for operation	Sides of enclosure Rear Front	
Removable parts	Door by screws hinge Mounting plate by screws mounting plate bracket Rear panel by screws Roof by screws	

Mounting plate bracket by screws

Sliding rail by screws

Life Is On Schneider 4 Mar 2025

Material	Frame: galvanised steel Uprights: galvanised steel Door: sheet steel Panels: sheet steel Hinge: zamak Handle: polyamide 6 with 30 % fibre glass	
Surface finish	Epoxy-polyester powder	
Colour	Enclosure: grey (RAL 7035) Handle: black (RAL 9005)	
Net weight	90.3 kg	

Environment

Standards	IEC 62208
NEMA degree of protection	NEMA 3R/12
IP degree of protection	IP55 conforming to IEC 60529
IK degree of protection	IK10 conforming to IEC 62262

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	213.000 cm
Package 1 Width	75.000 cm
Package 1 Length	49.000 cm
Package 1 Weight	103.000 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	2
Package 2 Height	213.000 cm
Package 2 Width	75.000 cm
Package 2 Length	98.000 cm
Package 2 Weight	206.000 kg

Logistical informations

Country of origin FR

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	532
Environmental Disclosure	Product Environmental Profile

Use Better

Recycled metal content at CR level	45
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions



Offer Marketing Illustration

Product benefits / Features



Offer Marketing Illustration

Energy Label



NSYSFN20640P

Technical illustration



NSYSFN20640P

Technical illustration



NSYSFN20640P

Technical illustration



NSYSFN20640P

Technical illustration



NSYSFN20640P

Technical illustration



NSYSFN20640P

Technical illustration




Image of product / Alternate images

Alternative













NSYSFN20640P

Offer Marketing Illustration

Packaging

