

wall-mounting enclosure polyester monobloc IP66 H308xW255xD160mm

Local distributor code:

403422984 NSYPLM3025G

EAN Code: 3606480776434

Main

Range	Thalassa
product name	Thalassa PLM
Device short name	PLM
Enclosure type	Multi-purpose
Category	Compact enclosure
Nominal height	308 mm
Nominal width	255 mm
Nominal depth	160 mm
Enclosure mounting	Wall mounted
Device composition	1 body 1 door 1 lock
Door type	Plain
Lock type	3 mm double-bar lock

Complementary

Number of locks	1	
Mounting plate description	Without mounting plate	
Accessibility for operation	Front	
Removable parts	Door by hinges	
Material	Polyester reinforced with fibreglass	
Colour	Grey (RAL 7035)	
Standards	IEC 62208 NEMA classification 13 NEMA classification 4X	
Product certifications	UL	
Electrical insulation class	Class II	

Environment

IP degree of protection	IP66 conforming to IEC 60529	
IK degree of protection	IK10 conforming to IEC 62262	
Fire resistance	960 °C conforming to IEC 62208	
Ambient air temperature for operation	-4080 °C	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	18.500 cm
Package 1 Width	26.500 cm
Package 1 Length	33.000 cm
Package 1 Weight	3.128 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	90
Package 2 Height	150.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	307.000 kg

Logistical informations

Country of origin

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	24	
Environmental Disclosure	Product Environmental Profile	

Use Better

Materials and Substances		
Minimum percentage of recycled plastic content	37	
Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	No	
China RoHS Regulation	China RoHS declaration	

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No