

# Landscape (Horizontal) enclosure polyester monobloc IP66 H536xW747xD300mm

NSYPLM57G

EAN Code: 3606481085238

## Main

Range	Thalassa	
product name	Thalassa PLM landscape	
Device short name	PLM	
Enclosure type	Multi-purpose	
Category	Compact enclosure	
Nominal height	536 mm	
Nominal width	747 mm	
Nominal depth	300 mm	
Enclosure mounting	Wall mounted	
Installation direction	Horizontal	
Device composition	1 body 1 door 2 lock	
Body type	Built-in canopy, on lateral side One piece moulded with notches in the rear	
Door type	Plain	
Door opening side	Down	
Lock type	3 mm double-bar lock	

## Complementary

Number of locks	2	
Mounting plate description	Without mounting plate	
Accessibility for operation	Front	
Removable parts	Door by cut hinges	
Material	Polyester reinforced with fibreglass	
Colour	Grey (RAL 7035)	
Standards	NEMA classification 13 IEC 62208 NEMA classification 4X	
Product certifications	UL BV	
Electrical insulation class	Class II	

## **Environment**

IP degree of protection	IP66 conforming to IEC 60529		
IK degree of protection	IK10 conforming to IEC 62262		
Fire resistance	960 °C conforming to IEC 62208		
Ambient air temperature for operation	-4080 °C		

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	56.000 cm
Package 1 Width	81.500 cm
Package 1 Length	33.000 cm
Package 1 Weight	14.000 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	12
Package 2 Height	176.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	183.000 kg

# Logistical informations

Country of origin ES

## **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	109	
Environmental Disclosure	Product Environmental Profile	

### **Use Better**

Minimum percentage of recycled plastic content	37	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
REACh Regulation	REACh Declaration	
China RoHS Regulation	China RoHS declaration	

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No