

Landscape (Horizontal) enclosure polyester monobloc IP66 H636xW847xD300mm

NSYPLM68G

EAN Code: 3606481085245

Main

Range	Thalassa	
product name	Thalassa PLM landscape	
Device short name	PLM	
Enclosure type	Multi-purpose	
Category	Compact enclosure	
Nominal height	636 mm	
Nominal width	847 mm	
Nominal depth	300 mm	
Enclosure mounting	Wall mounted	
Installation direction	Horizontal	
Device composition	1 body 1 door 2 lock	
Body type	Built-in canopy, on lateral side One piece moulded with notches in the rear	
Door type	Plain	
Door opening side	Down	
Lock type	3 mm double-bar lock	

Complementary

Number of locks	2	
Mounting plate description	Without mounting plate	
Accessibility for operation	Front	
Removable parts	Door by cut hinges	
Material	Polyester reinforced with fibreglass	
Colour	Grey (RAL 7035)	
Standards	NEMA classification 13 IEC 62208 NEMA classification 4X	
Product certifications	UL BV	
Electrical insulation class	Class II	

Environment

IP degree of protection	IP66 conforming to IEC 60529		
IK degree of protection	IK10 conforming to IEC 62262		
Fire resistance	960 °C conforming to IEC 62208		
Ambient air temperature for operation	-4080 °C		

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	33.000 cm
Package 1 Width	65.500 cm
Package 1 Length	93.000 cm
Package 1 Weight	17.100 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	8
Package 2 Height	199.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	148.800 kg

Logistical informations

Country of origin ES

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	133	
Environmental Disclosure	Product Environmental Profile	

Use Better

Minimum percentage of recycled plastic content	37	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
REACh Regulation	REACh Declaration	
China RoHS Regulation	China RoHS declaration	

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No