

TeSys VARIO - additional earthing block - 175 A - for V5 / V6

Local distributor code: 20330187

VZ16

EAN Code: 3389110551952

Main

Range	TeSys	
Device short name	VZ	
Product or component type	Additional earthing block	
Performance level	High performance	
Contacts type and composition	Without	
Product compatibility	V5 V6	
Network type	AC DC	
Network frequency	50/60 Hz	

Complementary

Mounting location	Left Right	
[Ue] rated operational voltage	690 V AC 50/60 Hz	
[Uimp] rated impulse withstand voltage	6 kV	
[lth] conventional free air thermal current	175 A	
Connections - terminals	Screw clamp terminals	
Height	125 mm	
Width	30 mm	
Depth	63 mm	
Net weight	0.25 kg	

Environment

Standards	IEC 60947-3	
Product certifications	GL CSA UL UKCA	
Protective treatment	TC	
IP degree of protection	IP20 conforming to IEC 60529	
Mechanical robustness	Vibrations 10150 Hz (5 gn) conforming to IEC 60068-2-6 Shocks 11 ms (15 gn) conforming to IEC 60068-2-27	
Ambient air temperature for operation	-2050 °C	
Fire resistance	960 °C conforming to IEC 60695-2-1	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.000 cm
Package 1 Width	8.600 cm
Package 1 Length	14.600 cm
Package 1 Weight	244.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	30
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	7.841 kg

Logistical informations

Country of origin C.

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	E8ec339b-85c3-4216-bd7f-79794a93ade1
REACh Regulation	REACh Declaration
PVC free	Yes

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Assembly's dimensions

