

# Product datasheet

Specifications



## "PanelSeT SM compact enclosure with glazed door - 1800x800x400 mm"

Local distributor code:  
383547167

NSYSM18840T

**EAN Code: 3606485120973**

### Main

Range	PanelSeT
product name	PanelSeT SM
Product or component type	Compact enclosure
Application	Multi-purpose
Installation accessory type	Floor-standing
Device composition	1 body 1 cable gland plate 1 locking system with handle: door 4 mounting plate bracket 1 door
Removable parts	Door by screws hinge Mounting plate bracket by screws
Enclosure nominal height	1800 mm
Enclosure nominal width	800 mm
Enclosure nominal depth	400 mm

### Complementary

Number of doors	Front: 1 door(s)
Door opening side	Reversible (120 °)
Door type	Glazed
Lock type	4 points lock, handle with 5 mm double bar insert
Body type	Single piece body with welded rear panel Front part forming a rigid frame with welded corners
Mounting plate description	Without mounting plate
Type of gland plate	Standard
cable entry	1 entry
Material	Door: Securit glass Body: sheet steel Door: sheet steel Hinge: zamak
Surface finish	Epoxy-polyester powder
Colour	Enclosure: grey (RAL 7035) Handle: black (RAL 9005)
Accessibility for operation	Front
Product weight	94 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Environment

Standards	IEC 62208
Product certifications	UL DNV BV
IK degree of protection	IK08 conforming to IEC 62262 conforming to UL conforming to cUL
IP degree of protection	IP55 conforming to IEC 60529

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	193.000 cm
Package 1 Width	85.000 cm
Package 1 Length	49.000 cm
Package 1 Weight	76.000 kg

## Logistical informations

Country of origin	ES
-------------------	----

## Contractual warranty

Coverage	Core product
Warranty	18 months

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) **668**

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Pro-active compliance (Product out of EU RoHS legal scope)**

SCIP Number **52da316e-d4e1-4114-85c0-32a03b2934fd**

REACH Regulation [REACH Declaration](#)

## Use Again

### Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

Take-back **No**

Technical Illustration

Dimensions

---



Offer Marketing Illustration

Product benefits / Features

---

Sturdy component protection

Low-carbon emission steel

Quality & aesthetics

Digital tools

Easy to equip  
Easy to maintain

Large choice of dimensions, models & accessories

Offer Marketing Illustration

Product benefits / Features

---



Sturdy component protection

Low-carbon emission steel

Quality & aesthetics

Digital tools

Easy to equip  
Easy to maintain

Large choice of dimensions, models & accessories

Technical Illustration

Exploded view

---



Image of product / Alternate images

Alternative

---





