

# TeSys VARIO - additional pole - 32 A - for V1

Local distributor code: 20330051

20330051 VZ1

EAN Code: 3389110551860

### Main

Range	TeSys	
Device short name	VZ	
Product or component type	Additional pole	
Performance level	High performance	
Poles description	1P	
Contacts type and composition	1 NO	
Product compatibility	V1	
Range compatibility	TeSys TeSys VARIO switch disconnector	
Network type	DC AC	
Network frequency	50/60 Hz	
Suitability for isolation	Yes	

### Complementary

Mounting location	Left	
	Right	
[Ue] rated operational voltage	690 V AC 50/60 Hz	
[Uimp] rated impulse withstand voltage	8 kV	
[Ith] conventional free air thermal current	32 A	
[Ithe] conventional enclosed thermal current	25 A	
Mechanical durability	100000 cycles	
Electrical durability	100000 cycles AC-21 30000 cycles DC-15	
Connections - terminals	Power circuit: screw clamp terminals6 mm² - flexible - with cable end Power circuit: screw clamp terminals10 mm² - solid	
Tightening torque	Power circuit: 2.1 N.m - on screw clamp terminals	
Height	74 mm	
Width	16 mm	
Depth	35 mm	
Net weight	0.05 kg	

### **Environment**

Standards IEC 60947-3

Product certifications	CSA	
	UL	
	GL	
	UKCA	
Protective treatment	TC	
IP degree of protection	IP20 conforming to IEC 60529	
Mechanical robustness	Vibrations 10150 Hz (1 gn) conforming to IEC 60068-2-6 Shocks 11 ms (30 Gn) conforming to IEC 60068-2-27	
Ambient air temperature for operation	-2050 °C	
Fire resistance	960 °C conforming to IEC 60695-2-1	

# Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.700 cm
Package 1 Width	5.500 cm
Package 1 Length	9.000 cm
Package 1 Weight	44.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	69
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.674 kg

## **Logistical informations**

Country of origin

### **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

<b>⊘</b> Environmental footprint	
Total lifecycle Carbon footprint	1
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	65661eb0-9ea7-4d52-b0a4-16b981f28f63
REACh Regulation	REACh Declaration
Halogen-free status	Halogen free product
PVC free	Yes

### Use Again

○ Repack and remanufacture	
Recyclability potential, in %	35
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins