Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



TeSys VARIO - additional neutral block - 175 A - for V5 / V6

Local distributor code:

20330145 VZ13

EAN Code: 3389110551921

Main

Range	TeSys	
Device short name	VZ	
Product or component type	Additional neutral block	
Performance level	High performance	
Poles description	1N	
Contacts type and composition	1 NO	
Contact operation	Early make, late break	
Product compatibility	V5 V6	
Range compatibility	TeSys TeSys VARIO switch disconnector	
Network type	AC DC	
Network frequency	50/60 Hz	

Complementary

Mounting location	Left Right	
[Ue] rated operational voltage	690 V AC 50/60 Hz	
[Uimp] rated impulse withstand voltage	6 kV	
[Ith] conventional free air thermal current	175 A	
Mechanical durability	30000 cycles	
Electrical durability	30000 cycles DC-15 30000 cycles AC-21	
Connections - terminals	Screw clamp terminals70 mm² - flexible - with cable end Screw clamp terminals95 mm² - solid	
Tightening torque	22.6 N.m - on screw clamp terminals	
Height	125 mm	
Width	30 mm	
Depth	63 mm	
Net weight	0.25 kg	

Environment

Standards IEC 60947-3

Product certifications	UL CSA	
	GL	
	UKCA	
Protective treatment	тс	
IP degree of protection	IP20 conforming to IEC 60529	
Mechanical robustness	Vibrations 10150 Hz (1 gn) conforming to IEC 60068-2-6 Shocks 11 ms (15 gn) conforming to IEC 60068-2-27	
Ambient air temperature for operation	-2050 °C	
Fire resistance	960 °C conforming to IEC 60695-2-1	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.500 cm
Package 1 Width	7.000 cm
Package 1 Length	12.000 cm
Package 1 Weight	256.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	30
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	8.190 kg

Logistical informations

Country of origin

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Total lifecycle Carbon footprint	1
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	E8ec339b-85c3-4216-bd7f-79794a93ade1
REACh Regulation	REACh Declaration
PVC free	Yes

Use Again

○ Repack and remanufacture	
Recyclability potential, in %	35
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Assembly's dimensions

