

# Product datasheet

Specifications



ClimaSys forced vent. roof, 575m<sup>3</sup>/h, 230V, with roof outlet grille and filter G2, white (RAL 9003)

NSYCVF575M230MB

EAN Code: 3606485431994

## Main

Range	ClimaSys
Product name	ClimaSys CV
Product or component type	Top hood with fan
Range compatibility	Prisma Prisma P Prisma Prisma PH Prisma Prisma iPM M
Type of filter	G2
Flow rate	Free flow rate: 575 m <sup>3</sup> /h at 50 Hz
Input voltage	230 V 50/60 Hz

## Complementary

Absorbed power	85 W
Noise level < at	64 dB
Height	External: 96 mm
Width	External: 340 mm
Depth	External : 340 mm
Cut-out dimensions	228 x 228 mm
Material	Hood: steel
Colour	Hood: signal white (RAL 9003)
IP degree of protection	IP54
Device composition	1 hood: top of enclosure 1 fan 1 fixing elements

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	13.000 cm
Package 1 Width	35.000 cm
Package 1 Length	35.000 cm
Package 1 Weight	6.012 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	60
Package 2 Height	125.000 cm

---

Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	374.000 kg

---

## Logistical informations

---

Country of origin	IT
-------------------	----

## Contractual warranty

---

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	61 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	39 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	12 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.7 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	9 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	61d9d3f3-5a49-48f8-8056-1a5ad0ad4c76
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	64
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins