


Data sheet

Commercial Art.No.: 0D.200.0255.0

end bracket WEFN 7N

end bracket WEFN 7N length 52.6 mm, height 47 mm, mounting method DIN rail (top hat rail), color grey, inflammability class of insulation material acc. with ul94 V0, terminal blocks for electrical installations yes



Commercial Art.No.	0D.200.0255.0
EAN	4049088717918
Order Unit	50

Technical data

general

color	grey
inflammability class of insulation material acc. with UL94	V0
width/grid dimension	8 mm
latching	screwable
length	52.6 mm
mounting method	DIN rail (top hat rail)
height	47 mm
Reihenklemmen für Installationsverteiler	yes

classification

ECLASS 11	
ECLASS 8.1	27141135
ETIM 9.0	EC001041
ETIM 8.0	EC001041
ETIM 7.0	EC001041
ETIM 6.0	EC001041
ETIM 5.0	EC001041
ETIM 4.0	EC001041
ETIM 3.0	EC001041

product compliance

REACH-SVHC conformity status	compliant
------------------------------	-----------

Accessories


Commercial Art.No.:	Article-type description:	Description:
OD.202.7281.0	marking strips WML 9.8/60	marking strips WML 9.8/60 material plastic, color white, length 230 mm, height 15.1 mm, inflammability class of insulation material acc. with ul94 V0
OD.202.7381.0	marking strips WML 7.4/60	marking strips WML 7.4/60 material plastic, color white, length 230 mm, height 11.4 mm, inflammability class of insulation material acc. with ul94 V0
OD.206.7056.0	marking plate WMP 8-10	marking plate WMP 8-10 modular spacing 8 mm, material plastic, color white, length 128 mm, height 76 mm, inflammability class of insulation material acc. with ul94 V0
OD.206.7156.0	marking plate WMP 8-5.8	marking plate WMP 8-5.8 modular spacing 8 mm, material plastic, color white, length 128 mm, height 76 mm, inflammability class of insulation material acc. with ul94 V0

Alle Rechte vorbehalten
 All rights reserved
 Vertraulichkeitsklasse
 Confidentiality Class: Vertraulich
 Confidential


These dimensions will be especially checked at delivery
 Only inspection dimensions
 With /E marked dimensions are only valid for internal use

Diese Maße werden bei Abnahme besonders geprüft
 Ausschließlich Prüfmaße
 Mit /E gekennzeichnete Maße sind nur für interne Zwecke gültig

F



Hutschiene EN 60715-35x7,5
 /mounting rail EN 60715-35x7,5
 Hutschiene EN 60715-35x15
 /mounting rail EN 60715-35x15



Weitere Daten siehe KATALOG oder eKatalog
 additional data see CATALOG or eCATALOG
www.wieland-electric.com
eshop.wieland-electric.com

Tolerierung Size ISO 14405 © / Tolerance system Size ISO 14405 ©. (This ISO-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances).		ja/yes <input checked="" type="checkbox"/> Stoffverbots- und Deklarationsliste nach WN 5020.010 ist einzuhalten. Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared!	
Freitoleranz nach General tolerance		CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed	1. Verwendung: First Use:
		Blatt: Sheet:	1 von of 1
		Werkstoff / Material	Tag/Date Name
		Maßstab / Scale	gezeichnet drawn
		2:1	19.05.2025 Holler
		Vol. mm ³ / fl./Srf. mm ²	Ersatz für / Replacement for:
		Type	Benennung/Title
Bestell-Nr. /order no.		Typ /type	Farbe /colour
OD.200.0255.0		WEFN 7N	grau / grey
VPE: packaging unit:		50	Index
Änderung / Revision		Datum / Blatt Date / Sheet	Index
		wieland	ENDKLAMMER end bracket