


## Data sheet

Commercial Art.No.: 0D.200.0755.0

end bracket WEFN 2N

end bracket WEFN 2N length 49.3 mm, height 34 mm, mounting method DIN rail (top hat rail), color grey, inflammability class of insulation material acc. with ul94 V0, terminal blocks for electrical installations yes



|                    |               |
|--------------------|---------------|
| Commercial Art.No. | 0D.200.0755.0 |
| EAN                | 4049088717963 |
| Order Unit         | 50            |

## Technical data

### general

|  |                         |
|--|-------------------------|
| color  | grey                    |
| inflammability class of insulation material acc. with UL94 | V0                      |
| width/grid dimension                                       | 7 mm                    |
| latching   | screwable               |
| length   | 49.3 mm                 |
| mounting method  | DIN rail (top hat rail) |
| height   | 34 mm                   |
| Reihenklempen für Installationsverteiler                   | yes                     |

### classification

|            |          |
|------------|----------|
| ECLASS 11  |          |
| ECLASS 8.1 | 27141135 |
| ETIM 9.0   | EC001041 |
| ETIM 8.0   | EC001041 |
| ETIM 7.0   | EC001041 |
| ETIM 6.0   | EC001041 |
| ETIM 5.0   | EC001041 |
| ETIM 4.0   | EC001041 |
| ETIM 3.0   | EC001041 |

### product compliance

|                              |           |
|------------------------------|-----------|
| REACH-SVHC conformity status | compliant |
|------------------------------|-----------|

## Accessories


| Commercial Art.No.: | Article-type description: | Description: |
|---------------------|---------------------------|--------------|
|                     |                           |              |

|               |                            |  |
|---------------|----------------------------|--|
| OD.202.7281.0 | marking strips WML 9.8/60  | marking strips WML 9.8/60 material plastic, color white, length 230 mm, height 15.1 mm, inflammability class of insulation material acc. with ul94 V0                        |
| OD.202.7381.0 | marking strips WML 7.4/60  | marking strips WML 7.4/60 material plastic, color white, length 230 mm, height 11.4 mm, inflammability class of insulation material acc. with ul94 V0                        |
| OD.204.7056.0 | marking plate WMP 6.10-10  | marking plate WMP 6.10-10 modular spacing 6.1 mm, material plastic, color white, length 128 mm, height 76 mm, inflammability class of insulation material acc. with ul94 V0  |
| OD.204.7156.0 | marking plate WMP 6.10-5.8 | marking plate WMP 6.10-5.8 modular spacing 6.1 mm, material plastic, color white, length 128 mm, height 76 mm, inflammability class of insulation material acc. with ul94 V0 |

Alle Rechte vorbehalten  
 All rights reserved  
 Vertraulichkeitsklasse  
 Confidentiality Class: Vertraulich  
 Confidential



These dimensions will be especially checked at delivery  
 Only inspection dimensions  
 With /E marked dimensions are only valid for internal use

Diese Maße werden bei Abnahme besonders geprüft  
 Ausschließlich Prüfmaße  
 Mit /E gekennzeichnete Maße sind nur für interne Zwecke gültig



Hutschiene EN 60715-35x7,5  
 /mounting rail EN 60715-35x7,5

Hutschiene EN 60715-35x15  
 /mounting rail EN 60715-35x15



Weitere Daten siehe KATALOG oder eKatalog  
 additional data see CATALOG or eCATALOG  
[www.wieland-electric.com](http://www.wieland-electric.com)  
[eshop.wieland-electric.com](http://eshop.wieland-electric.com)

|   |  |   |  |
|---|--|---|--|
| Tolerierung Size ISO 14405 © / Tolerance system Size ISO 14405 ©.<br>(This ISO-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances). |  | ja/yes <input checked="" type="checkbox"/> Stoffverbots- und Deklarationsliste nach WN 5020.010 ist einzuhalten.<br>Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared! |  |
| Freitoleranz nach<br>General tolerance  |  | CAD - Zeichnung, keine manuellen Änderungen<br>CAD - drawing, no manual modifications allowed   |  |
| 1. Verwendung:<br>First Use:  |  | Blatt: 1 von 1<br>Sheet: 1 of 1   |  |
| Werkstoff / Material  |  | Tag/Date Name   |  |
| Maßstab / Scale   |  | gezeichnet<br>drawn 28.08.2025 Eichhorn N.  |  |
| 2:1   |  | Elektronische Freigabe<br>Electronic Release  |  |
| Vol. mm <sup>3</sup> / OfL./Srf. mm <sup>2</sup>  |  | Ersatz für / Replacement for:   |  |
| Index Datum / Blatt<br>Date / Sheet   |  | Type Benennung/Title  |  |
| Änderung / Revision   |  | ENDKLAMMER<br>end bracket   |  |

|                           |              |                  |                         |
|---------------------------|--------------|------------------|-------------------------|
| Bestell-Nr.<br>/order no. | Typ<br>/type | Farbe<br>/colour | VPE:<br>packaging unit: |
| 0D.200.0755.0             | WEFN 2N      | grau / grey      | 50                      |