




PRODUCT-DETAILS

PS1-3-0-65

PS1-3-0-65 3-phase busbar for 3 MS116 / MS132, Ie=65A



General Information	
Extended Product Type:	PS1-3-0-65
Product ID:	1SAM201906R1103
EAN:	4013614400698
Catalog Description:	PS1-3-0-65 3-phase busbar for 3 MS116 / MS132, Ie=65A
Long Description:	PS1-3-0-65 3-phase busbars ensure a quick and safe connection of 3 MS132 or MS116 manual motor starters without lateral auxiliary contacts and are therefore a cost effective solution. The rated current is 65 A.
Display Name:	PS1-3-0-65

Ordering	
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85369010

Popular Downloads

Data Sheet, Technical Information:	1SBC100214C0202
Instructions and Manuals:	2CDC131011M6802 2CDC131034M6801 2CDC131022M6802
Instructions and Manuals (Part 3):	1SBC100214C0202
CAD Dimensional Drawing:	2CDC001079B0201
Dimension Diagram:	1SAM200450F0002

Dimensions

Product Net Width:	131.5 mm
Product Net Height:	32.3 mm
Product Net Depth / Length:	13 mm
Product Net Weight:	0.055 kg

Technical

Rated Operational Voltage:	690 V AC 250 V DC
Rated Operational Current (I_e):	65 A
Rated Impulse Withstand Voltage (U_{imp}):	6 kV
Number of Poles:	9P
Degree of Protection:	IP20
Pollution Degree:	3
Standards:	IEC/EN 60947-1 IEC/EN 60947-4-1 UL 60947-1 UL 60947-4-1

Technical UL/CSA

Maximum Operating Voltage UL/CSA:	Main Circuit 600 V AC
--	-----------------------

Environmental

Ambient Air Temperature:	Operation -25 ... +70 °C Storage -50 ... +80 °C
---------------------------------	--

Material Compliance

Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
REACH Declaration:	1SAA963005-4502
RoHS Declaration:	1SAA963006-4501

RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA:	2CMT2023-006539
WEEE B2C / B2B:	Business To Business
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CE:	1SAD101100-3411
Declaration of Conformity - UKCA:	1SAD201100-3411
UL Certificate:	E121190-20000619

Container Information

Package Level 1 Units:	box 10 piece
Package Level 1 Width:	80 mm
Package Level 1 Depth / Length:	181 mm
Package Level 1 Height:	46 mm
Package Level 1 Gross Weight:	0.588 kg
Package Level 1 EAN:	4013614488078
Package Level 2 EAN:	4013614581939

External Classifications and Standards

Object Classification Code:	W
ETIM 9:	EC000215 - Phase busbar
ETIM 10:	EC000215 - Phase busbar
eClass:	V11.0 : 27371306
UNSPSC:	39121117
IDEA Granular Category Code (IGCC):	4378 >> Phase buss bar
E-Number (Finland):	3705949
E-Number (Norway):	4364001
E-Number (Sweden):	3111676

Categories

Products > Low Voltage Products and Systems > Circuit Breakers > Manual Motor Starters

Products > Low Voltage Products and Systems > Control Products > Manual Motor Starters > Manual Motor Starters

