PRODUCT-DETAILS

S2C-H6R

S2C-H6R Auxiliary Contact 1CO



General Information

Extended Product Type:	S2C-H6R
Product ID:	2CDS200912R0001
EAN:	4016779563826
Catalog Description:	S2C-H6R Auxiliary Contact 1CO
Long Description:	Indication of the position of the device's contacts. Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. To be mounted on the right side of the MCBs.
Display Name:	S2C-H6R

ABB EcoSolutions

Recyclability Rate of the Product acc. to EN45555:	Design for Closing Resource Loops - Standard EN45555 - 85.9 %
ABB Site Meeting Group Waste To Landfill Target:	No non-hazardous waste is sent to a landfill
Offered with Takeback Services:	Take Back for Recycling
End Of Life Disassembling Instructions:	9AKK108472A0312
Environmental Product Declaration - EPD:	9AKK108468A8785

© 2026 ABB. All rights reserved.

Technical

Function:	Auxiliary Contact
Suitable For:	S200 S200M S200P S200S S300P SN201L+SN201-IH SN201+SN201-IH SN201M+SN201-IH F200 DS201 DS202C DS200 S-ARC1 DS-ARC1 S200C Enhancement
Suitable for Product Class:	Miniature Circuit Breaker Residual Current Device
Number of Auxiliary Contacts NC:	0
Number of Auxiliary Contacts NO:	0
Accessory Type:	Auxiliary Contact
Technical Information:	AUXILIARYCONTACT

Electrical

Input Voltage Type:	AC
Power Loss:	0.5 W Maximum 0.5 W
Number of Auxiliary Contacts CO (SPDT):	1

Material Compliance

RoHS Declaration:	9AKK108472A0372
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date:	20260312
REACH Declaration:	9AKK107492A1906
REACH Information:	False - does not contain substances > 0.1 mass percentage
REACH Date:	20260312
Conflict Minerals Reporting Template (CMRT):	9AKK108468A3363
Toxic Substances Control Act - TSCA:	9AKK108468A8104
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B:	Business To Business

Dimensions

© 2026 ABB. All rights reserved.

Width in Number of Modular Spacings:	0.5
Product Net Width:	8.8 mm
Product Net Height:	85 mm
Product Net Depth / Length:	69 mm
Product Net Weight:	0.043 kg

Engineering

EPLAN Data:	9AAC179079_EPLAN

Container Information

Package Level 1 Units:	blister 1 piece
Package Level 1 Width:	20 mm
Package Level 1 Height:	115 mm
Package Level 1 Depth / Length:	104 mm
Package Level 1 Gross Weight:	0.045 kg
Package Level 1 EAN:	4016779563826
Package Level 2 Units:	60 piece
Package Level 2 Width:	275 mm
Package Level 2 Height:	210 mm
Package Level 2 Depth / Length:	395 mm
Package Level 2 Gross Weight:	3.4 kg
Package Level 2 EAN:	4016779946193

Ordering

Minimum Order Quantity:	1 piece
E-Number (Finland):	3210836
E-Number (Norway):	1665769
E-Number (Sweden):	2102500

Certificates and Declarations

Declaration of Conformity - CE:	9AKK108468A4564

Installation

Instructions and Manuals:	GHS2007061P0018

© 2026 ABB. All rights reserved.

Popular Downloads

Data Sheet, Technical Information:	9AKK106930A8017

External Classifications and Standards

ETIM 9:	EC001286 - Auxiliary device for distribution board devices
ETIM 10:	EC001286 - Auxiliary device for distribution board devices
UNSPSC:	39121522
eClass:	V11.0 : 27143502
IDEA Granular Category Code (IGCC):	4743 >> Auxiliary contact block
Object Classification Code:	Q
Standards:	CSA Class 3215-30 CSA Class 3215-90 GB/T 14048.5 IEC/EN 60947-5-1 UL 1077

Categories

Products > Low Voltage Products and Systems > Modular DIN Rail Products > ABB VY > Busbars and Accessories ABB VY > Accessories ABB VY

Products > Low Voltage Products and Systems > Modular DIN Rail Products > Miniature Circuit Breakers MCBs > Miniature Circuit Breakers MCBs Accessories > Auxiliary / Signal Contacts

Parts & Services > Medium Voltage Products and Systems > Service > Spares and Consumables > Parts > All Spare Parts (Relays-SWG-CB)

Parts & Services > Medium Voltage Products and Systems > Switchgear and Motor Control > Gas Insulated Secondary Switchgear (SF6) > SafePlus > SafePlus 36 kV

Parts & Services > Medium Voltage Products and Systems > Switchgear and Motor Control > Gas Insulated Secondary Switchgear (SF6) > SafeRing > SafeRing 36 kV







© 2026 ABB. All rights reserved.



360°

© 2026 ABB. All rights reserved.