

PRODUCT-DETAILS

# BVND-M207GT

## COND FTNG STR M20 NW17 IP66 BLK



### General Information

Extended Product Type	BVND-M207GT
Product ID	7TAA292150R0147
EAN	7630030213915
Catalog Description	COND FTNG STR M20 NW17 IP66 BLK
Long Description	PMAFIX Straight Black Connector with Universal Safety Clip, Material - Polyamide 6, Thread Type - Metric, Thread Size -M20x1.5, Conduit Size NW - 17

### Ordering

EAN	7630030213915
Customs Tariff Number	3917400090

### Dimensions

Product Net Weight	.02 lb 9.07 g
--------------------	------------------

### Container Information

Package Level 1 Units	100 piece
Package Level 2 Units	400 piece
Package Level 2 Width	11.811 in 300 mm

Package Level 2 Height	7.874 in 200 mm
Package Level 2 Depth / Length	15.748 in 400 mm

### Additional Information

Application	For Cable Protection Systems In a Wide Range of Applications
Brand / Label	PMA
Color	Black
Insulation Class	IP66
Material	Polyamide 6
Number of Batteries	0
Product Name	PLASTIC FITTING FOR CONDUIT
Product Type	Connectors-Straight
Size	NW17 ; M20 Thread
Standards	CSA
Temperature Range	-40 to 105 °C Short Term to 160 °C
UPC	786209951090

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107046A1293
Declaration of Conformity - CE	9AKK107680A0674
Instructions and Manuals	BVND-M207GT

### Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

