

PRODUCT-DETAILS

BVNZ-M329S

CONDFTNG STR M32 NW29 W/SR IP68 BLK



General Information

Extended Product Type	BVNZ-M329S
Product ID	7TAA292150R0320
EAN	7630030230790
Catalog Description	CONDFTNG STR M32 NW29 W/SR IP68 BLK
Long Description	PMAFIX Straight Black Strain Relief Connector, Material - Polyamide 6, Thread Size - M32x1.5, Conduit Size NW - 29, Terminal Range - 18.0 - 25.0

Ordering

EAN	7630030230790
Customs Tariff Number	3917400090

Dimensions

Product Net Weight	.14 lb 63.492 g
--------------------	--------------------

Container Information

Package Level 1 Units	20 piece
Package Level 1 Width	6 in 152 mm
Package Level 1 Height	3 in

	76 mm
Package Level 1 Depth / Length	10 in 254 mm
Package Level 2 Units	80 piece
Package Level 2 Width	11.811 in 300 mm
Package Level 2 Height	8.661 in 220 mm
Package Level 2 Depth / Length	15.748 in 400 mm

Additional Information

Application	For Use In Machine and Plant Construction
Brand / Label	PMA
Color	Black
Insulation Class	IP68
Material	Polyamide 6
Number of Batteries	0
Product Name	PLASTIC FITTING FOR CONDUIT
Product Type	Connectors-Strain Relief
Size	NW29 ; M32 Thread
Temperature Range	-40 to 105 °C Short Term to 160 °C
UPC	786209952769

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	BVNZ-M329S
Declaration of Conformity - CE	9AKK107680A0674
Instructions and Manuals	BVNZ-M329S

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

